

Figure 1

Figure 2




Figure 3

MAC	802.1Q	IP	<u>300</u>
LEMXR ₁			...

Figure 4

LOCAL	MAC	802.1Q	IP	<u>400</u>
LEMXR ₁	LEMXR ₁			...

Figure 5

MAC	802.1Q	IP	<u>500</u>
LEMXR ₁			...

0950307.04430

Figure 6

MAC		600
DPS ₁	...	

Figure 7

LOCAL	MAC		700
DPS ₁	DPS ₁	...	


Figure 8

LOCAL	MAC		800
ISR ₁	DPS ₁	...	

Figure 9

MAC		900
DPS ₁	...	

Figure 10



09550867-041700

```

graph TD
    1110[ASSIGN TO SWITCH LEMXR MAC ADDRESSES FOR INTERNAL AND/OR EXTERNAL USE;  
ASSIGN TO SWITCH ISR MAC ADDRESSES FOR INTERNAL-ONLY USE] --> 1120[INTERCONNECT SWITCH IN NETWORK]
    1120 --> 1130[BOOT-UP SWITCH]
    1130 --> 1140[APPLY LEXMR MAC ADDRESSES INTERNALLY AND/OR EXTERNALLY;  
APPLY ISR MAC ADDRESSES INTERNALLY ONLY]
    1140 --> EXIT[EXIT]

```

Figure 11